

## WATCHING WHERE OTHER CAMERA'S CAN'T

# SOLAR POWERED REMOTE OPERATED CELLULAR SECURITY



#### **NEED TO MONITOR A REMOTE LOCATION?**

Eye Trax camera systems offer wire-free connectivity and fully autonomous solar-powered operation, providing unmatched surveillance no matter how remote.

SOLAR POWERED

CELLULAR TRANSMISSION

NIGHT VISION

MOTION DETECTION

WEATHERPROOF

VIDEO ALERTS

CLOUD SOFTWARE

5 - DAY BACKUP BATTERY



#### NO POWER, NO PROBLEM

With just 6 hours of direct sunlight, Eye Trax solar panels can effectively charge your camera for 5 days and nights of continuous operation.



### THE PREDATOR 3.0

The ultimate security camera system, our newly designed Predator 5G security camera provides 355 degrees of panning and 90 degrees of tilt up and down and provides 1/3" 4MP CMOS Image Sensor, 4-Megapixel Ultra High Definition Video for Excellent Quality and Clarity, 4MP @25fps.This camera includes advanced analytics features such as Tripwire, Intrusion, etc which will help to increase the overall efficiency and accuracy of the camera.

#### **PREDATOR SPECS**

#### **SECURITY**

#### **Motion Detection:**

**DORI DISTANCE:** 

• Detect: 677.82ft

• Observe: 270.99ft

Recognize: 135.49ft

• Identify: 67.91ft

#### **Display Resolution:**

4MP Ultra High definition

#### Frame Rate & Codec:

25 frames per second - H.264 Codec

#### **Night Vision:**

Infrared - Up to 100ft

#### **Optical Zooming:**

5x Optical Zoom

#### Storage:

Internal SD Card, Cloud Storage

#### Pan & Tilt

0° to 350° Pan; 0° to 90° Tilt

#### **Audio**

One Way

#### **POWER**

#### **Battery:**

Voltage (max-cutoff): 12.6V Voltage (min-cutoff): 9.5V Voltage (nominal): 11.1V

Max Discharge Current: 30A Max Charging Current: 20A

Amp-Hour: 50Ah Watt-Hour: 630Wh

Battery Retention: 5 Day Backup

#### **Charge Source:**

Solar, Wind, External DC Power source

#### **ENVIRONMENTAL**

#### **Temperature Range:**

-40° F to 140° F (-40° C to 60° C)

#### Waterproof Level:

**IP66** 

#### CONNECTION

#### CPU

Quad Core 1.2GHz Brodcom BCM2837 64bit CPU

#### **Transmission:**

4G/5G cellular

#### Antenna:

2 External MIMO Antennas for Cell Reception 1 Antenna for GPS

#### Modem:

Sierra Wireless

150 Mbps Download / 42 Mbps Upload

#### **Compatible Carriers:**

AT&T, Bell, Rogers, Telus, T-Mobile, Verizon

#### **Frequency Bands:**

LTE Cat 4, FDD B2[1900], B4[1700], B5[850], B12[700], B13[700], B14[700], B66[1700], B71[600]

#### Sim:

Integrated eSIM, external 3FF slot

#### **CLOUD SERVICES**

#### **Software**

Web-Based and Mobile Application

#### **Storage**

Cloud

#### **PHYSICAL**

#### Camera

12" (30cm) x 14" (36cm) x 7" (18cm) Weight: 12 lbs (5.4 kg)

#### **Solar Panel**

27" (69cm) x 26" (66cm) x 2" (5cm) Weight: 11 lbs (5 kg)